		4
	Application No.	Applicant(s)
Notice of Allowability	10/697,749	DUNBAR ET AL.
House of Allowability	Examiner	Art Unit
	Noah Kamen	3747
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-15</u> .		
3. The drawings filed on 29 October 2003 are accepted by the Examiner.		
4.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 10/29/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 5. ☐ Notice of Informal Patent Application (PTO-152) 6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment 8. ☑ Examiner's Statement of Reasons for Allowance of Biological Material		

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art fails to suggest a cooling nozzle comprising the combination of a mounting plate having a pin aperture and a fastener aperture, a pin body with a blind bore, a nozzle tube fitted into a cross drilled hole, as set forth in the independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Noah Kamen whose telephone number is 571 272 4845. The examiner can normally be reached on M-Th 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Yuen can be reached on 571 272 4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Noah Kamen
Primary Examiner
Art Unit 3747